

Material Safety Data Sheet

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Chemical Product PLA filament

MSDS No. 04ST122

Date 08.30.2016

2. **INFORMATION ON INGREDIENTS**

Chemical Name	PLA	Toughening agent	Other
Content	≥94%	≤5%	≤1%

Impurities Contributing to Hazard None

3. HAZARDS IDENTIFICATION

Adverse Human Health Effects None

Environmental Effects None

Physical and Chemical Hazards None

Special Hazards None

4. FIRST AID MEASURES

Inhalation In case of gases evolving from molten resin, brings the affected

person to fresh air. Call a physician immediately in case of

discomfort.

Skin Contact In case of contact with molten material, immediately wash the

skin with plenty of cold water. See a physician for removal of

adhering material.



Eye Contact

If molten material contacts the eye, rinse immediately with

plenty of water for at least 15 minutes. Call a physician

immediately.

Induce vomiting with medical advice. Rinse your mouth with

water. Seek medical advice if discomfort occurs.

5. FIRE-FIGHTING MEASURES

Extinguishing Media Water, Foam, Dry chemical powder

Fire and Explosion Hazards None

Special Fire-Fighting Procedure Minimize dust generation and accumulation

Special Protective Equipment

Wear self-contained breathing apparatus and

full protective clothing

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions Wear appropriate personal protective equipment.

Environmental Precautions Prevent entry into surface water or drainage systems.

Methods for Cleaning up Sweep up and shovel into suitable containers for

disposal.

7. HANDLING AND STORAGE

Handling Avoid contact with molten material. Use personal

protective equipment.

Storage Keep cool. Protect from water, moisture and direct

sunlight. Avoid all sources of ignition.



8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Controls Provide appropriate exhaust ventilation at places where

dust is formed.

Personal Protective Equipment

Skin Protection

Wear protective clothing when handling hot molten

products.

Hand Protection

Wear protective gloves when handling hot molten

products.

Eye Protection Wear protective glasses.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Monofilament

Density 1.24g/cm³

Melting Point None

Melting Temperature 155°C-170°C

Solubility Insoluble in water

10. STABILITY AND REACTIVITY

Chemical Stability

Stable under recommended storage conditions.



Reactivity

None expected under conditions of normal use.

11. TOXICOLOGICAL INFORMATION

Irritation Fumes generated from decomposing resin may be irritant

to eyes.

12. **ECOLOGICAL INFORMATION**

Persistence and degradability

Product is not biodegradables.

13. **DISPOSAL CONSIDERATIONS**

Disposal Methods

Dispose of waste and residues in accordance with local authority requirements.

14. TRANSPORT INFORMATION

Not regulated

15. **REGULATORY INFORMATION**

Not available

16. OTHER INFORMATION

The data given above is believed accurate and for reference only.